# Safety Data Sheet

(In accordance with Regulation (EU) 2020/878)

#### 1. IDENTIFICATION OF THE SUBTANCES/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier			
Product name	Elevia E1 Salmonella spp. SPID		
Product code	V-FSP02		
1.2. Relevant information uses of the substa	ances or mixture and uses advised against		
Substance application	Research use only		
1.3. Details of the supplier of the safety data sheet			
Company	TAAG Technologies S.A.		
Address	Río Refugio 9641, Pudahuel, Santiago, Metropolitan Region, Chile		
Phone	+56229353200		
E-mail	contacto_cl@taag-genetics.com		
Website	www.taag-tech.com		
1.4. Emergency telephone number	22 635 3800		

# 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or	In accordance with the Regulation (EC) No 1272/2008:
mixture	Asp. Tox. 1: May be fatal if swallowed and enters airways.
2.2. Label elements	Labelling in accordance with Regulation (EC) No 1272/2008:

#### **Pictograms**



Signal word	Danger				
Hazard statements	H304: May be fatal if swallowed and enters airways.				
Precautionary statements	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.				
	P331: Do NOT induce vomiting.				
	P405: Store locked up.				
	P501: Dispose of contents/container according to local/national legislation.				
	Contains: White mineral oil (petroleum).				
	The mixture does not contain substances classified as PBT (Persistent, Bioaccumulable and Toxic).				
	The mixture does not contain substances classified as vPvB (very Persistent and very Bioaccumulable).				
2.3. Other hazards	The mixture does not contain any endocrine disrupting properties substances.				
	In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.				

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances	Not applicable.				
3.2. Mixtures	Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:				
Identifiers	Name	Concentrate	(*) Classification – Regulation (EC) No 1272/2008  Classification Specifics concentration limits and acute toxicity estimate		

CAS No: 8042-47-5 EC No: 232-455-8 Registration No: 01- 2119487078-27-XXXX	[2] White mineral oil (petroleum)	10 – 50 %	Asp. Tox. 1, H304	-
CAS No: 8002-74-2 EC No: 232-315-6 Registration No: 01- 2119488076-30-XXXX	[2] Paraffin waxes and Hydrocarbon waxes	10 - 25 %	-	-
CAS No: 56-81-5 EC No: 200-289-5 Registration No: 01- 2119471987-18-XXXX	[2] Glycerol	0 - 2.5 %	-	-

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

## 4. FIRST AID MEASURES

4.1. Description of first aid measures	In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.		
Inhalation	Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.		
Eye contact	Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.		
Skin contact	Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents o thinners.		
Ingestion	If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.		
4.2. Most important symptoms and effects, both acute and delayed	Harmful product, prolonged exposure due to inhalation may cause anesthetic effects and the need for immediate medical assistance.		

<sup>[2]</sup> Substance with national workplace exposure limit (see section 8.1).

# 4.3. Indication of any immediate medical attention and special treatment needed

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear respiratory tract.

## **5. FIRE-FIGHTING MEASURES**

The product is NOT classified as flammable, in case of fire the following measures should be taken:				
5.1. Extinguishing media				
Suitable extinguishing media	Extinguisher powder or $CO_2$ . In case of more serious fires, also alcohol-resistant foam and water spray.			
Unsuitable extinguishing media	Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.			
5.2. Special hazards arising from the substan	5.2. Special hazards arising from the substance or mixture			
Special risks	Exposure to combustion or decomposition products can be harmful to your health.			
5.3. Advice for firefighters	Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Avoid allowing firefighting products to enter drains, sewer, or waterways.			
Fire protection equipment	According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.			

#### **6. ACCIDENTAL RELEASE MEASURES**

6.1. Personal precautions, protective equipment and emergency procedures	For exposure control and individual protection measures, see section 8.
6.2. Environmental precautions	Product not classified as hazardous for the environment, avoid spillage as much as possible.

	Contain and collect spillage with inert absorbent material (earth,			
	sand, vermiculite, Kieselguhr) a clean the area immediately with			
6.3. Methods and material for containment and cleaning up	a suitable decontaminant.			
	Deposit waste in closed and suitable containers for disposal, incompliance with local and national regulations (see section 13).			
6.4. Reference to other sections	For exposure control and individual protection measures, see section 8.			
	For later elimination of waste, follow the recommendations under section 13.			

# 7. HANDLING AND STORAGE

7.1. Precautions for safe handling	For personal protection, see section 8.
	In the application area, smoking, eating, and drinking must be prohibited.
	Follow legislation on occupational health and safety.
	Never use pressure to empty containers. They are not pressure- resistant containers. Keep the product in containers made of a material identical to the original.
	Store according to local legislation. Observe indications on the label.
7.2. Conditions for safe storage, including any incompatibilities	Keep far away from ignition points. Keep away from oxidizing agents and from highly acidic or alkaline materials. Do not smoke.
	Once the containers are open, they must be carefully closed and places vertically to prevent spills.
	The product is not affected by Directive 2012/18/EU (SEVESO III).
7.3. Specific end use (s)	Not available.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters	Work exposure limit for:	

Name	CAS No.	Country	Limit value	ppm	mg/m³
White mineral oil (petroleum)	8042-47-5	Éire [1]	Eight hours		5
write milleral on (petroleum)	8042-47-3		Short term		
		United	Eight hours		2
Paraffin waxes and Hydrocarbon waxes	8002-74-2	Kingdom [2]	Short term		6
r aranin waxes and rigurocarbon waxes	8002-74-2	Éire [1]	Eight hours		2
		Eire[i]	Short term		6
	56-81-5	United	Eight hours		10
		Kingdom [2]	Short term		
					10 (Total dust)
		United States	<b>Eight hours</b>		5 (Respirable
Glycerol		[3] /Cal/OSHA)			fraction)
diyearor			Short term		
					15 (Total dust)
		United States	<b>Eight hours</b>		5 (Respirable
		[4] (OSHA)			fraction)
			Short term		

<sup>[1]</sup> According Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values. Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Туре	Value
Glycerol			
CAS No: 56-81-5	DNEL (Workers)	Inhalation, Chronic, Local effects	56 (mg/m <sup>3</sup> )
EC No: 200-289-5			

## 8.2. Exposure controls

Measures of technical nature	Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.
Breathing protection	PPE: Filter mask for protection against gases and particles.
	Characteristics: «CE» marking, category III. The mask must
	have a wide field of vision and an anatomically designed form in order
	to be sealed and watertight.

<sup>[2]</sup> According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive. [3] California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

<sup>[4]</sup> Occupational Safety and Health Administration, United States Department of Labor. Permissible Exposure limits (PELs), California Division of Occupational Safety and Health (Cal/OSHA) Permissible Exposure Limits (PELs).

	CENT 4 - 1 - 1 - ENTISO 425 ENTA 40 ENTA 95
	CEN standards: EN ISO 136, EN 140, EN 405.  Maintenance: Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor.
	Observations: Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: PI-P2-P3, Gases and vapors: A-B-E-K-AX), changing them as advised by the manufacturer.  Filter type needed: A2
	PPE: Protective gloves against chemicals.  Characteristics: «CE» marking, category III.  CEN standards: EN 374-1, EN 374-2, EN 374-3, EN 420.
Hand protection	Maintenance: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.
	Observations: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clan, dry hands.
	Material: PVC (polyvinyl chlorides); Breakthrough time (min.) >480. Material thickness (mm): 0.35
Eye protection	If the product is handled correctly, no individual protection equipment is necessary.
	PPE: Protective clothing/ Work footwear.
Skin protection	Characteristics: «CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.
	CEN standards: EN 340/ EN ISO 13287, EN 20347

PI-603-03ENG **TAAG** Technologies Revision: 07-03-2025

> Maintenance: In order to guarantee uniform protection, follow the washing and maintenance instructions provided manufacturer. The footwear adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.

Revision: 03

Page 8 of 14

Observations: The protective clothing should offer a level of comfort in line with the level of protection provided in terms of hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1.	9.1. Information on basic physical and chemical properties		
•	Physical state	Liquid.	
•	Color	Clear.	
•	Odor	Not applicable/ Not available due to the nature/properties of the product.	
•	Odor threshold	Not applicable/ Not available due to the nature/properties of the product.	
•	Melting point	Not applicable/ Not available due to the nature/properties of the product.	
•	Freezing point	Not applicable/ Not available due to the nature/properties of the product.	
•	Boiling point or initial boiling point	Not applicable/ Not available due to the nature/properties of the	
	and boiling range	product.	
•	Flammability	Not applicable/ Not available due to the nature/properties of the product.	
•	Lower explosion limit	Not applicable/ Not available due to the nature/properties of the product.	
•	Upper explosion limit	Not applicable/ Not available due to the nature/properties of the product.	
•	• Flash point	> 60°C.	
•	Auto-ignition temperature	Not applicable/ Not available due to the nature/properties of the product.	

•	Decomposition temperature	Not applicable/ Not available due to the nature/properties of the product.
•	рН	Not applicable/ Not available due to the nature/properties of the product.
•	Kinematic viscosity	Not applicable/ Not available due to the nature/properties of the product.
•	Solubility	Not applicable/ Not available due to the nature/properties of the product.
•	Hydrosolubility	Not applicable/ Not available due to the nature/properties of the product.
•	Liposolubility	Not applicable/ Not available due to the nature/properties of the product.
•	Partition coefficient n-octanol/water (log value)	Not applicable/ Not available due to the nature/properties of the product.
•	Vapor pression	Not applicable/ Not available due to the nature/properties of the product.
•	Absolut density	Not applicable/ Not available due to the nature/properties of the product.
•	Relative density	Not applicable/ Not available due to the nature/properties of the product.
•	Relative density	Not applicable/ Not available due to the nature/properties of the product.
•	Relative vapor density	Not applicable/ Not available due to the nature/properties of the product.
•	Particle characteristics	Not applicable/ Not available due to the nature/properties of the product.
9.2.	Other information	Not applicable/ Not available due to the nature/properties of the product.

# 10. STABILITY AND REACTIVITY

10.1. Reactivity	The product does not present hazards by their reactivity.
10.2. Chemical stability	Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of dangerous reactions	The product does not present possibility of hazardous reactions.
10.4. Conditions to avoid	Avoid any improper handling.
10.5. Incompatible materials	Keep away from oxidizing agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6. Hazardous decomposition products	No decomposition if used for the intended uses.
	There are no tested data available on the product.
I1.1. Information on hazard classes as	Repeated or prolonged contact with the product can cause the
defined in Regulation (EC) N° 1272/2008	elimination of oil from the skin, giving rise to non-allergic contact
	dermatitis and absorption of the product through the skin.
a) Acute toxicity	Not conclusive data for classification.
b) Skin corrosion/irritation	Not conclusive data for classification.
c) Serious eye damage/irritation	Not conclusive data for classification.
d) Respiratory or skin sensitization	Not conclusive data for classification.
e) Germ cell mutagenicity	Not conclusive data for classification.
f) Carcinogenicity	Not conclusive data for classification.
g) Reproductive toxicity	Not conclusive data for classification.
h) STOT-single exposure	Not conclusive data for classification.
i) STOT-repeated exposure	Not conclusive data for classification.
	Product classified:
j) Aspiration hazard	Aspiration toxicity, Category 1: May be fatal if swallowed and enters
	airways.
11.2. Information on other hazards	
Endocrine disrupting properties	This product does not contain components with endocrine-
indocrine distupting properties	disrupting properties with effects on human health.
Other information	There is no information available on other adverse health effects.

# 11. TOXICOLOGICAL INFORMATION

# 12. ECOLOGICAL INFORMATION

12.1. Toxicity	No information is available regarding the ecotoxicity of the substances present.
12.2. Persistence and degradability	No information is available regarding the biodegradability of the substances present.
	No information is available on the degradability of the substances present.
	No information is available about persistence and degradability of the product.

12.3. Bioaccumulative potential	No information is available regarding the bioaccumulation of the substances present.			
Name	Bioaccumulation			
Name	Log Pow	BCF	NOECs	Value
White mineral oil (petroleum)	0	_	_	Very low
CAS No: 8042-47-5 EC No: 232-455-8		-	-	very low
Glycerol	-1,76	_	_	Very low
CAS No: 56-81-5 EC No: 200-289-5	.,,, 0			16.7.6
	No informatio	n is available abou	ut the mobility in soil	
12.4. Mobility in soil	The product must not be allowed to go into sewers or waterways.			
	Prevent penetration into the ground.			
12.5. Results of PBT and vPvB assessment	No information is available about the results of PBT and vPvB assessment of the product.			
12.6. Endocrine disrupting properties	•	doesn't contair	n components with	n environment
12.7. Other adverse effects	No information is available about other adverse effects for the environment.			
13. DISPOSAL CONSIDERATIONS				
13.1. Waste treatment methods		ist be handled an	r waterways. Wast d eliminated accord	
	Follow the pr	rovisions of Direc	tive 2008/98/EC re	garding waste

# **14. TRANSPORT INFORMATION**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

management.

14.1.UN number or ID number	Transportation is not dangerous.
	Description:
14.2 LIN nyanay shinning name	ADR/RID: Not classified as hazardous for transport.
14.2. UN proper shipping name	IMDG: Not classified as hazardous for transport.
	ICAO/IATA: Not classified as hazardous for transport.

14.3. Transport hazard class(es)	Transportation is not dangerous.	
14.4. Packing group	Transportation is not dangerous.	
	Transportation is not dangerous.	
14.5. Environmental hazards	Transport by ship, Fem – Emergency sheets (F – Fire, S – Spills): Not applicable.	
14.6. Special precautions for user	Transportation is not dangerous.	
14.7. Maritime transport in bulk according to IMO instruments	Transportation is not dangerous.	

#### 15. REGULATORY INFORMATION

#### **European Commission:**

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

# 15.1. Safety, health and environmental regulations/ legislation specific to the substance or mixture

#### Chile:

NCh382:2017 Dangerous merchandising - Classification

NCh2190:2003 Transportation of hazardous substances – Labels for risk identification.

NCh2245:2015 Safety data sheets for chemical products – Content and order of sections.

NCh1411/4 Risk prevention– Part 4: Safety signs for identification of material risks. (Similar to NFPA 704).

Law 20920 Framework law for waste management, extend producer responsibility, and promotion of recycling.

Supreme decree No.148 Sanitary regulation on the management of hazardous waste.

	Supreme decree No.594 Regulation on basic sanitary and environmental conditions in the workplace.
	USA:
	TSCA Inventory (Toxic Substances Control Act).
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

#### 16. OTHER INFORMATION

Complete text of H phrases that appear in section 3:

H304: May be fatal of swallowed and enters airways.

Classification codes:

Asp. Tox. 1: Aspiration toxicity, Category 1

# Classification and procedure used to derive the classification for mixtures according to regulation (EC) 1272/2008 [CLP]:

Physical hazards: On basis of test data Health hazards: Calculation method

Environmental hazard: Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

- BCF: Bioconcentration factor.
- CEN: European Committee for Standardization.
- DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered tolerable minimum.
- DNEL: Derived No Effect, level of exposure to the substance below which adverse effects are not anticipated.
- EC50: Half maximal effective concentration.
- PPE: Personal protection equipment.
- LC50: Lethal concentration, 50%.
- LD50: Lethal dose, 50%.
- NOEC: No observed effect concentration.

TAAG Technologies

PI-603-03ENG
Revision: 03
Revision: 07-03-2025
Page 14 of 14

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and must not be considered as a guarantee of its properties.